

Department of Permitting Services
Division of Building Construction
255 Rockville Pike, 2nd Floor
Rockville, MD 20850-4166
Phone: 311 in Montgomery County or (240)777-0311
Fax: (240)777-6262
http://www.montgomerycountymd.gov/permittingservices



Sign Variance Application

Date of Hearing	Case No
Date of Notification to Interested Parties	Zone
Date of Notification to Applicant	
	Section/Subsection
B. Location of Project	
House/Building Number: 8600 Street: 01d	d Georgetown Road
Town/City: Bethesda	Zip Code: 20814
Late 16 Physics 15	Davasle
Lot: 16 Block: 15	Parcei:
C. Applicant Information	
☑ Property Owner ☐ Agent	☐ Sign Installer
Name of Applicant: <u>Suburban Hospital</u> , <u>Inc.</u> , Address: 8600 Old Georgetown Road	Phone Number: 301-896-3806
Address: 8600 Old Georgetown Road	c/o MargaretFitzwilliam
•	State: MD Zip Code: 20814
ony.	
D. Variance Request Description - (Attach Sheets	if Space Provided is Not Sufficient)
Variances from Sections 59-6.7.8.A	1.1 and 59-6.7.8.A.2 of the Montgomery County Zor
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate	A.1 and 59-6.7.8.A.2 of the Montgomery County Zor directional and wayfinding signage on the Hospi
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate	1.1 and 59-6.7.8.A.2 of the Montgomery County Zor
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate	if Space Provided is Not Sufficient) A.1 and 59-6.7.8.A.2 of the Montgomery County Zore directional and wayfinding signage on the Hospi the application materials.
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate	A.1 and 59-6.7.8.A.2 of the Montgomery County Zore directional and wayfinding signage on the Hospi
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in	A.1 and 59-6.7.8.A.2 of the Montgomery County Zore directional and wayfinding signage on the Hospi the application materials.
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus; as explained more fully in ! E. Basis for Variance - (Attach Sheets if Space Property of the content of t	A.1 and 59-6.7.8.A.2 of the Montgomery County Zore directional and wayfinding signage on the Hospin the application materials. Ovided is Not Sufficient)
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in ! E. Basis for Variance - (Attach Sheets if Space Pro-	A.1 and 59-6.7.8.A.2 of the Montgomery County Zor directional and wayfinding signage on the Hospin the application materials. ovided is Not Sufficient) on three sides by a residential community. To ensure proper
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in ! E. Basis for Variance - (Attach Sheets if Space Pro The Hospital operates on a constrained site bordered identification of the site, ensure safe and efficient circ	a.1 and 59-6.7.8.A.2 of the Montgomery County Zor directional and wayfinding signage on the Hospital the application materials. ovided is Not Sufficient) on three sides by a residential community. To ensure proper exculation in and around the site, and prevent Hospital-related
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in E. Basis for Variance (Attach Sheets If Space Pro The Hospital operates on a constrained site bordered identification of the site, ensure safe and efficient circumstantial company.	a.l and 59-6.7.8.A.2 of the Montgomery County Zore directional and wayfinding signage on the Hospital the application materials. ovided is Not Sufficient) on three sides by a residential community. To ensure proper culation in and around the site, and prevent Hospital-related correlensive signage system is necessary, requiring more signage
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in E. Basis for Variance (Attach Sheets if Space Pro The Hospital operates on a constrained site bordered identification of the site, ensure safe and efficient circumstance from entering adjacent neighborhoods, a computant typically allowed in the R-60 zone. Therefore, we have the same safe and efficient circumstances and efficient circumstances.	a.l and 59-6.7.8.A.2 of the Montgomery County Zore directional and wayfinding signage on the Hospin the application materials. ovided is Not Sufficient) on three sides by a residential community. To ensure proper culation in and around the site, and prevent Hospital-related corehensive signage system is necessary, requiring more signage
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in E. Basis for Variance (Attach Sheets if Space Pro The Hospital operates on a constrained site bordered identification of the site, ensure safe and efficient circumstantial from entering adjacent neighborhoods, a computant typically allowed in the R-60 zone. Therefore, application materials.	a.l and 59-6.7.8.A.2 of the Montgomery County Zor directional and wayfinding signage on the Hospi the application materials. ovided is Not Sufficient) on three sides by a residential community. To ensure proper culation in and around the site, and prevent Hospital-related corehensive signage system is necessary, requiring more signage variances for additional signage are necessary as outlined in the
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in E. Basis for Variance (Attach Sheets if Space Pro The Hospital operates on a constrained site bordered identification of the site, ensure safe and efficient circ traffic from entering adjacent neighborhoods, a comp than typically allowed in the R-60 zone. Therefore, application materials. F. Present Sign Description	a.1 and 59-6.7.8.A.2 of the Montgomery County Zor directional and wayfinding signage on the Hospital the application materials. covided is Not Sufficient) on three sides by a residential community. To ensure proper equalition in and around the site, and prevent Hospital-related prehensive signage system is necessary, requiring more signage equalities of additional signage are necessary as outlined in the
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in E. Basis for Variance (Attach Sheets if Space Pro The Hospital operates on a constrained site bordered identification of the site, ensure safe and efficient circ traffic from entering adjacent neighborhoods, a comp than typically allowed in the R-60 zone. Therefore, application materials. F. Present Sign Description	a.l and 59-6.7.8.A.2 of the Montgomery County Zor directional and wayfinding signage on the Hospi the application materials. ovided is Not Sufficient) on three sides by a residential community. To ensure proper culation in and around the site, and prevent Hospital-related corehensive signage system is necessary, requiring more signage variances for additional signage are necessary as outlined in the
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in E. Basis for Variance (Attach Sheets if Space Pro The Hospital operates on a constrained site bordered identification of the site, ensure safe and efficient circ traffic from entering adjacent neighborhoods, a competant typically allowed in the R-60 zone. Therefore, application materials. F. Present Sign Description	a.1 and 59-6.7.8.A.2 of the Montgomery County Zor directional and wayfinding signage on the Hospital the application materials. covided is Not Sufficient) on three sides by a residential community. To ensure proper equalition in and around the site, and prevent Hospital-related prehensive signage system is necessary, requiring more signage equalities of additional signage are necessary as outlined in the
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in E. Basis for Variance (Attach Sheets if Space Pro The Hospital operates on a constrained site bordered identification of the site, ensure safe and efficient circ traffic from entering adjacent neighborhoods, a comp than typically allowed in the R-60 zone. Therefore, application materials. F. Present Sign Description	a.1 and 59-6.7.8.A.2 of the Montgomery County Zor directional and wayfinding signage on the Hospital the application materials. covided is Not Sufficient) on three sides by a residential community. To ensure proper equalition in and around the site, and prevent Hospital-related prehensive signage system is necessary, requiring more signage equalities of additional signage are necessary as outlined in the
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in E. Basis for Variance (Attach Sheets if Space Pro The Hospital operates on a constrained site bordered identification of the site, ensure safe and efficient circular traffic from entering adjacent neighborhoods, a computant typically allowed in the R-60 zone. Therefore, application materials. F. Present Sign Description	a.1 and 59-6.7.8.A.2 of the Montgomery County Zor directional and wayfinding signage on the Hospital the application materials. covided is Not Sufficient) on three sides by a residential community. To ensure proper equalition in and around the site, and prevent Hospital-related prehensive signage system is necessary, requiring more signage equalities of additional signage are necessary as outlined in the
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in E. Basis for Variance (Attach Sheets if Space Pro The Hospital operates on a constrained site bordered identification of the site, ensure safe and efficient circ traffic from entering adjacent neighborhoods, a comp than typically allowed in the R-60 zone. Therefore, application materials. F. Present Sign Description	a.1 and 59-6.7.8.A.2 of the Montgomery County Zor directional and wayfinding signage on the Hospital the application materials. ovided is Not Sufficient) on three sides by a residential community. To ensure proper equiation in and around the site, and prevent Hospital-related prehensive signage system is necessary, requiring more signage evariances for additional signage are necessary as outlined in the
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in E. Basis for Variance - (Attach Sheets if Space Pro The Hospital operates on a constrained site bordered identification of the site, ensure safe and efficient circ traffic from entering adjacent neighborhoods, a competant typically allowed in the R-60 zone. Therefore, application materials. F. Present Sign Description Permit Number Type of Sign: Dime	a.1 and 59-6.7.8.A.2 of the Montgomery County Zor directional and wayfinding signage on the Hospital the application materials. ovided is Not Sufficient) on three sides by a residential community. To ensure proper equiation in and around the site, and prevent Hospital-related prehensive signage system is necessary, requiring more signage evariances for additional signage are necessary as outlined in the
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in E. Basis for Variance (Attach Sheets if Space Pro The Hospital operates on a constrained site bordered identification of the site, ensure safe and efficient circ traffic from entering adjacent neighborhoods, a competent typically allowed in the R-60 zone. Therefore, application materials. F. Present Sign Description Permit Number Type of Sign: Dime	a.1 and 59-6.7.8.A.2 of the Montgomery County Zor directional and wayfinding signage on the Hospital the application materials. ovided is Not Sufficient) on three sides by a residential community. To ensure proper evaluation in and around the site, and prevent Hospital-related prehensive signage system is necessary, requiring more signage variances for additional signage are necessary as outlined in the ensions: Allowable Sq.Ft: Principal Wording:
Variances from Sections 59-6.7.8.A Ordinance to allow for appropriate campus, as explained more fully in E. Basis for Variance (Attach Sheets if Space Pro The Hospital operates on a constrained site bordered identification of the site, ensure safe and efficient circ traffic from entering adjacent neighborhoods, a comp than typically allowed in the R-60 zone. Therefore, application materials. F. Present Sign Description	a.1 and 59-6.7.8.A.2 of the Montgomery County Zor directional and wayfinding signage on the Hospital the application materials. ovided is Not Sufficient) on three sides by a residential community. To ensure proper evaluation in and around the site, and prevent Hospital-related prehensive signage system is necessary, requiring more signage variances for additional signage are necessary as outlined in the ensions: Allowable Sq.Ft: Principal Wording:

Signature: DATE: int Name: Signature: DATE: int Name:	. Sign Review Board A	Actions .			e de la Servicia. Para la
partitions for Approval or Denial: DATE:	1 Approved	Denied .	DATE:		
pa Review Board Members DATE:	. 1		D/A (S.,		
DATE: Int Name: Signature: DATE: Int Name: Signature: DATE: Int Name: DATE: DATE: Int Name: DATE: Int Name: DATE: DATE: Int Name:		- Dornar.			i.
DATE: Int Name: Signature: DATE: Int Name: Signature: DATE: Int Name: DATE: DATE: Int Name: DATE: Int Name: DATE: DATE: Int Name:					
DATE: Int Name: Signature: DATE: Int Name: Signature: DATE: Int Name: DATE: DATE: Int Name: DATE: Int Name: DATE: DATE: Int Name:					
DATE: Int Name: Signature: DATE: Int Name: Signature: DATE: Int Name: DATE: DATE: Int Name: DATE: Int Name: DATE: DATE: Int Name:					
DATE: Int Name: Signature: DATE: Int Name: Signature: DATE: Int Name: DATE: DATE: Int Name: DATE: Int Name: DATE: DATE: Int Name:					
DATE:			· · · · · · · · · · · · · · · · · · ·	110	
DATE:					
DATE:	· ·				· .
DATE:					
DATE:	gn Review Board Memb	pers			
DATE:	·				
DATE:					
DATE: pplicants or Interested Parties Present: int Name: Signature: DATE: DATE: Int Name: Signature: DATE: Int Name: DATE: Int Name: DATE: Int Name:					
pplicants or Interested Parties Present: int Name: Signature: DATE: Int Name: Signature: DATE: Int Name: DATE: Int Name: Int Name: Signature: DATE: DATE: DATE: DATE: DATE: DATE: DATE:					
pplicants or Interested Parties Present: int Name: Signature: DATE: int Name: Signature: DATE: int Name: DATE: int Name:	•		DATE:		
int Name: Signature: DATE: Int Name: Signature: DATE: DATE: Int Name: DATE: Int Name:		artics Present			
	· -	andes i resent			
Signature:DATE: int Name:Signature:DATE: Signature:DATE:	ATT TOMETON	Signat	ture:	DATE:	
int Name: Signature: DATE:	rint Name:				
Signature:DATE: int Name:		Signal	ture:	DATE:	 -
int Name:	'Int Name:	Signat	ture:	DATE:	
	int Name:				
O'grazio -		Signat	ture;	DATE;	
				·	
GNATURES ABOVE INDICATE THAT THEY UNDERSTAND THE STATEMENTS FOR APPROVAL OR DENIAL		Board reserves the	e right to revoke any sign v	variance after finding that conditions o	f approval
DTE: The Sign Review Board reserves the right to revoke any sign variance after finding that conditions of approval	OTE: Any decision by th	e Sign Review Bo	ard may, within 30 days, a	after the decision is rendered be appea	aled by any
OTE: The Sign Review Board reserves the right to revoke any sign variance after finding that conditions of approval ve not been met. OTE: Any decision by the Sign Review Board may, within 30 days, after the decision is rendered be appealed by any	terested party or parties	to the Board of Ap	opeais.		
DTE: The Sign Review Board reserves the right to revoke any sign variance after finding that conditions of approval ve not been met.				,	
OTE: The Sign Review Board reserves the right to revoke any sign variance after finding that conditions of approval ve not been met. OTE: Any decision by the Sign Review Board may, within 30 days, after the decision is rendered be appealed by any					
OTE: The Sign Review Board reserves the right to revoke any sign variance after finding that conditions of approval ve not been met. OTE: Any decision by the Sign Review Board may, within 30 days, after the decision is rendered be appealed by any				•	
OTE: The Sign Review Board reserves the right to revoke any sign variance after finding that conditions of approval ve not been met. OTE: Any decision by the Sign Review Board may, within 30 days, after the decision is rendered be appealed by any					
OTE: The Sign Review Board reserves the right to revoke any sign variance after finding that conditions of approval ve not been met. OTE: Any decision by the Sign Review Board may, within 30 days, after the decision is rendered be appealed by any					
OTE: The Sign Review Board reserves the right to revoke any sign variance after finding that conditions of approval ve not been met. OTE: Any decision by the Sign Review Board may, within 30 days, after the decision is rendered be appealed by any					. •
OTE: The Sign Review Board reserves the right to revoke any sign variance after finding that conditions of approval ve not been met. OTE: Any decision by the Sign Review Board may, within 30 days, after the decision is rendered be appealed by any					. ·

Page 2 of 2 Revised 5/11/2012